PTO/SB/05 (2/98)

Approved for use through 09/30/2000 OMB 0651-0032

Patent and Trademark Office. U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

UTILITY PATENT APPLICATION

TRANSMITTAL

Please type a plus sign (+) inside this box →

Attorney Docket No. 7000-026 Dalrymple, William First Inventor or Application Identifier **CONTROLLING COMMUNICATIONS THROUGH A VIRTUAL** Title REALITY ENVIRONMENT

dar 27 CER 8 1 52/b)) Evaress Mail I ahel No FI 555716329HS

B'''y	tor new nonpi		Inder 37 CFR § 1.55(b))	Lxpress	IVIGII L			7 1002000		
S	See MPEP cha	APPLICATION I	ELEMENTS tility patent application cor	itents.		ADDR	ESS TO:	Commissioner fo Box Patent Appl Washington, DC	ication	0.S
	(Submi Specific (preferi — Dese — Cros	it an original and a dication red arrangement set criptive title to the In ss References to Re	a. Computer Readable Copy ive title to the Invention a. Computer Readable Copy b. Paper Copy (identical to computer cop eferences to Related Applications c. Statement verifying identity of above or					ce Submission	25.00 200	
14. (— Cross References to Related Applications — Statement Regarding Fed sponsored R & D — Reference to Microfiche Appendix — Background of the Invention — Brief Summary of the Invention — Brief Description of the Drawings (if filed) — Detailed Description — Claim(s) — Abstract of the Disclosure ☐ Drawing(s) (35 U.S.C. 113) [Total Sheets 3 sets of 9] Oath or Declaration [Total Pages 3] a. Newly executed (original or copy) b. Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 17 completed) [Note Box 5 below] i. DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b). Incorporation By Reference (useable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by				ACCOMPANYING APPLICATION PARTS 8. Assignment Papers (cover sheet & document(s)) 9. 37 C.F.R. § 3.73(b) Statement Power of Attom (when there is an assignee) 10. English Translation Document (if applicable) 11. Information Disclosure Copies of IDS Statement (IDS)/PTO-1449 Citations 12. Preliminary Amendment 13. Return Receipt Postcard (MPEP 503) (Should be specifically itemized) 14. *Small Entity Statement filed in prior applications Statement(s) Status still proper and desired Statement(s) Status still proper and desired Other: *NOTE FOR ITEMS 1 & 14: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).					OS lication,
17.	If a CONTIN	_		tinuation-in				olication No:		
				RRESPON	IDENC	E ADDRES	S			
\boxtimes	Customer N	umber or Bar Code I		A CONTRACTOR OF THE CONTRACTOR				Corresponde	nce address belo	DW .
NAM	E			246 PATENT TRADE		FICE				
ADDI	RESS	,								
CITY	NTRY		1		STATE		1	ZIP CODE FAX		
Name Signat	(Print/Type) ture	Benjamin S. Wi	throw	1		Registrati	on No. (Atto	orney/Agent) Date	40,876 September 21,	2000

Burden Hour Statement. This form is estimated to take 2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL	Complete if Known					
for FY 2000	Application Number					
Patent fees are subject to annual revision.	Filing Date	September 21, 2000				
Small Entity payments must be supported by a small entity statement.	First Named Inventor	Dalrymple, William				
otherwise large entity fees must be paid. See Forms PTO/SB/09-12.	Examiner Name					
See 37 C.F.R. §§ 1.27 and 1.28.	Group/Art Unit					
TOTAL AMOUNT OF PAYMENT (\$)1546.00	Attorney Docket No.	7000-026				

	METHOD OF PAYMENT (check one) FEE CALCULATION (continued)							CULATION (continued)				
1.	7	Commiss	ion is be	reby authorized	to charge		3. AI					
	indic			dit any over pa			Large Fee Code	Entity Fee (\$)	Small Fee Code	Entity Fee (\$)	Fee Description	Fee Paid
Deposit		18-1164						(.,		.,		
Number		10-1104					105	130	205	65	Surcharge - late filing fee or oath	
	<u></u>					<u></u>	127	50	227	25	Surcharge - late provisional filing fee	
Deposit							100	400	400	400	or cover sheet	
Account	· · · · · · · · · · · · · · · · · · ·						139 147	130 2,520	139 147	130 2,520	Non-English specification For filing a request for reexamination	
Name	L						112	920*	112	920*	Requesting publication of SIR prior	
M					112	320	112	020	to Examiner action			
	Charge Any Additional Fee Required					113	1,840*	113	1,840*	Requesting publication of SIR after		
		Under 3	17 CFR §	§1.16 and 1 17							Examination action	
					115	110	215	55	Extension for reply within first month			
2.	Pay	ment Enc	losed [.]				116	380	216	190	Extension for reply within second month	
_		Check		Money Order	☐ Othe	r	117	870	217	435	Extension for reply within third month	
2 m		OTICOR		CALCULAT		•	118	1,360	218	680	Extension for reply within fourth month	
1 2 2				CALCULAT	ION		128 119	1,850 300	228 219	925 150	Extension for reply within fifth month Notice of Appeal	\vdash
		ILING F					120	300	220	150	Filing a brief in support of an appeal	
Large	Entity		-			F D-14	121	260	221	130	Request for oral hearing	
Fee	Fee (\$)	Fee Code	Fee (\$)	Fee Desc	cription	Fee Paid	138	1,510	138	1,510	Petition to institute a public use proceeding	
Code 101	(ຈ) 690	201	(4) 345	5 Utility filin	ia fee	690 00	140	110	240	55	Petition to revive - unavoidable	
106	310	206	155	•		-	141	1,210	241	605	Petition to revive - unintentional	
197	480	207	240	•			142	1,210	242	605	Utility issue fee (or reissue)	
108	690	208	345				143	430	243	215	Design issue fee	
1#4=	150	214	75	Provision	al filing fee		144	580	244	290	Plant issue fee	
≅				SUBTO	OTAL (1) (\$)	690.00	122	130	122	130	Petitions to the Commissioner	
<i>\$</i> =					, ,		123	50	123	50	Petitions related to provisional applications	
2. E	XTRA	CLAIM I	FEES				126	240	126	240	Submission of Information Disclosure Stmt	-
1.1					Fee from		581	40	581	40	Recording each patent assignment per	40 00
f <u>u</u>				Extra Claims	below	Fee Paid	301	40	501	40	property (times number of properties)	1000
TotafCI	aims	48	-20**	= 28 X	18.00 =	504.00	146	690	246	345	Filing a submission after final rejection	
Indeper		7	-3**			312.00					(37 CFR §1.129(a))	
Clainas							149	690	249	345	For each additional invention to be	
		dent Clain			=						examined (37 CFR §1 129(b))	
				eater; For Reis	sues, see beld	W .						
Large	Entity	Small Fee	Entity Fee	F.	e Description		Other fo	ee (specify	١			
Fee	Fee			r.	ee Description	1	Outer it	se (apeciny	′ —			
Code	(\$)	Code	(\$)	Claima in aug	f 20		0444	/if-i				
103	18	203	9	Claims in exc		0	Other is	ee (specify	' —			
102	78	202	39	Independent of		SS OF 3	1					
104	260	204	130	Multiple deper			1					
109	78	209	39	**Reissue ind	•	ns						1
			_	over original p			*Reduc	ed by Basi	c Filing F	ee Paid	SUBTOTAL (3) (\$)4	10.00
110	18	210	9	**Reissue clai		ot 20						
				and over origi			1					
				SUBTO	TAL (2) (\$)8	16 00						
					·							

SUBMITTED BY				,	Complete (if a	oplicable)
Name (Print/Type)	Benjamin S. Withrow	P	a	Registration No. 40,8/16 (Attorney/Agent)	Telephone	(919) 654-4566
Signature	1200	1	7/	1/2	Date	09/21/2000

WARNING:
Information this form may become public. Credit card information should not be Included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO. Commissioner for Patents, Washington, DC 20231

UNITED STATES PATENT APPLICATION FOR GRANT OF LETTERS PATENT

William C. Dalrymple Steve McKinnon INVENTORS

CONTROLLING COMMUNICATIONS THROUGH A VIRTUAL REALITY ENVIRONMENT

Rhodes & Mason, P.L.L.C.

P.O. Box 1167 Cary, NC 27512 (919) 654-4566

30

CONTROLLING COMMUNICATIONS THROUGH A VIRTUAL REALITY ENVIRONMENT

FIELD OF THE INVENTION

The present invention relates to virtual reality systems, and particularly relates to using virtual reality systems to facilitate intuitive communications through communications systems associated with a virtual reality environment.

10

5

BACKGROUND OF THE INVENTION

Advances in communications technology continually expand and refine available options for communicating with one another. Key examples come to mind, such as the proliferation of wireless communications devices, audio and video conferencing systems, network and Internet data sharing systems, and electronic collaborative work applications. Ironically, exploiting new communications and information technology becomes increasingly complicated as the range and sophistication of the underlying technologies increases.

Workers in a typical company communicate with one another in a variety of ways. For example, a single person may be associated with a desk phone, a cellular phone, a pager, a personal digital assistant, a computer system, multiple email accounts, and a myriad of other points of contact. The preferred means of contacting such a person will likely vary with changing circumstances—such as time of day or travel status. The efficiency of co-workers attempting to contact this person may be compromised by the sheer number of contact choices available, the number of systems involved (e.g., phone, email, paging), and by not knowing which choice is appropriate at any given time.

30

5

10

Other barriers to efficient and effective communications stem from the increasing complexity of the information involved in our communications. Workers are involved in the development of increasingly complex systems that are oftentimes developed using geographically disperse, multi-disciplinary teams. The ability of these teams to interact with one another and share information intuitively and effectively is critical for success. Further, consumers buy and use increasingly sophisticated systems and services, yet their ability to realize the full value of such systems and services depends on a vendor's ability to supply them with appropriate, readily understood assistance and supporting information.

Unfortunately, existing communication solutions remain loosely integrated at best and do not offer users with an intuitive way to interact with and use any and all of the communications technologies available in a given situation. Accordingly, there remains a need for a system that combines or has access to disparate communications technologies and provides an intuitive interface, preferably visual, that allows people to intuitively interact with other persons and with supporting information and communications systems.

SUMMARY OF THE INVENTION

People intuitively understand how to work within a graphical computer application in which desired functions are represented in a meaningful manner. The present invention simplifies communications between people and systems by linking specific communications functions to events occurring within a virtual reality environment. The virtual reality environment provides a graphical representation of places and objects that can be

30

5

10

associated with real-world persons and communications systems. For example, a telephone call might be automatically initiated between two co-workers based on one of the co-workers virtually entering the virtual office of the other.

More generally, in the present invention, a virtual reality system defines a virtual environment and events that can occur within the virtual environment, and initiates desired real world actions when an event occurs. System users, represented as avatars within the virtual environment, generate virtual events based on interacting with virtual objects and locations, as well as with other avatars. In general, virtual entities (e.g., avatars, objects, and locations) are associated with data bearing on the particular real world action triggered in response to an event involving the entity. For example, an avatar entering a virtual office (location) might generate a virtual event that triggers a telephone call or other electronic communications between a person associated with the avatar and a person associated with the virtual office. The associated data in this case could include the telephone numbers or contact information required to establish communications between the persons involved. Other data might specify a computer application to open facilitating data transfer or file sharing activities.

A given virtual event may have a single predefined real world action. For example, one avatar handing a virtual file folder to another avatar might invoke a file sharing application, or simply transfer associated data from one computer system to another. Alternatively, a given event may trigger different real world actions at different times. Thus, entering a virtual office during normal business hours may initiate a phone call to an

30

5

10

office telephone, while the same event might trigger a call to an after-hours number, enter voice mail, or launch an email application, if the same event occurs outside of normal business hours.

Multiple event types and multiple possible real world actions associated with each event type may be defined and configured for each virtual entity.

Normally, an owner of a given virtual entity performs such configurations. This allows a person to configure the real world actions that are initiated when one of their virtual entities is interacted with in the virtual environment. This allows the person to choose how they wish to be contacted at different times, or in different locations. Additionally, the virtual reality system itself may use changing conditions, such as time of day or the whereabouts of the person, to determine what real world action is initiated in response to a given virtual event.

Virtual event types include object events such as drop, pick up, touch, and use. Location oriented event types include enter, leave, and move. A wide range of other event types such as share, open, and send, may be defined for file sharing and collaborative working. present invention also supports push technologies allowing multiple users to share a graphical environment. Event types may be extended as needed to support a broad range of virtual activities. The virtual reality system includes interfacing support allowing it to interface, either directly or indirectly, with a wide variety of systems, such as telecommunications networks, computer and information networks, computer applications, and a wide range of other devices and systems. Thus, a broad array of devices, systems, and software may be made responsive to events occurring within the virtual

30

5

10

environment. This provides substantial flexibility and makes the system and methods of the present invention suitable for corporate communications and collaborative working, virtual e-commerce, and sophisticated customer support applications.

Those skilled in the art will immediately appreciate the range applications to which the present invention may be applied. Additionally, other aspects and features of the present invention will become apparent to those ordinarily skilled in the art upon review of the following description of specific embodiments of the invention in conjunction with accompanying figures.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 illustrates an exemplary environment in which the present invention may be advantageously practiced.

Figure 2A illustrates an exemplary embodiment of the system of the present invention.

Figure 2B illustrates an exemplary initiation of a telephony session between a first and second user in accordance with the present invention.

Figure 3 illustrates an alternate exemplary embodiment of the system of the present invention wherein multiple communications systems are involved.

Figure 4 illustrates an alternate exemplary embodiment of the system of the present invention wherein a single communications system is involved.

Figure 5 illustrates the configurable nature of communications functions in one embodiment of the present invention.

Figure 6 illustrates how a single virtual entity may be linked to a common communications function, such as a conference call, in the present invention.

30

5

10

Figure 7 provides exemplary, simplified program logic for initiating communications functions in response to certain events occurring within the virtual reality environment.

Figure 8 provides additional details for certain aspects of the program logic of Figure 7.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Before delving into details regarding the present invention, it is useful to build a framework of discussion and identify certain terminology. Within a virtual reality environment, virtual entities may be used to represent real world entities. A real world entity can be almost anything with examples ranging from an actual person, a communications device or other system associated with a person or persons, a computer network, or a software application. Virtual entities may appear as virtual persons (avatars), or may be virtual objects or virtual locations. For example, a virtual reality system user might create a "virtual office" accessible to other users of the virtual reality system. With the present invention, in many of its various embodiments, virtual entities generally represent or are associated with one or more persons, communications and information systems associated with one or more persons, or computer networks and computer applications.

Referring to the virtual office example, the "owner" of the virtual office might place a virtual calendar, a virtual phone, and a virtual PC on a virtual desk within the office. Another user operating within the virtual environment, possibly as an avatar, might virtually touch the calendar to schedule a meeting with the office owner, pick up the phone to call the office owner, or place a document on the PC to transfer a file to the office

30

5

10

owner's real world PC. This theme can be extended with virtually touching a virtual notepad resulting in an email being sent to the office owner. The theme may also be altered somewhat in that the office owner may configure the virtual office such that a preferred communication is initiated whenever another user virtually enters the office itself. Depending upon the whereabouts of the office owner, the communication automatically initiated using email, a mobile telephone, pager, personal digital assistant, an office telephone call, or a home telephone.

With the above context in mind, Figure 1 illustrates an overall framework 10 for practicing an exemplary embodiment of the present invention. The invention incorporates or operates in conjunction with a virtual reality system 20. The components and related aspects of the virtual reality system 20 are identified in the accompanying drawings using reference number in the 200's for clarity. The virtual reality system 20 includes a virtual environment server 210 hosting a virtual reality environment 220 having virtual entities 222 and 224, and a virtual environment interface 240. While two virtual entities 222 and 224 are illustrated, the virtual reality environment 220 may have any number of virtual entities. The virtual reality system 20 interfaces, directly or

In the context of Figure 1, users 40 and 50 represent persons able to interact with the communications system 30 and the virtual reality system 20. More generally, the users 40 and 50 are considered as real world entities associated with the virtual entities 222 and 224. As will be shown in more detail later, the users 40 and 50 will typically have some type

indirectly, with a communications system 30.

of computer to interact with the virtual reality system

30

5

10

20 and some type of communications device to interact with the communications system 30.

The users 40 and 50 are associated with the virtual entities 222 and 224, respectively. More particularly, various communications devices (e.g., phones, pagers, computers, personal digital assistants etc.) associated with the users 40 and 50 are associated with the virtual entities 222 and 224, respectively. Thus, virtual interactions between the virtual entities 222 and 224 under control of the users 40 and 50 may be used to trigger or initiate desired communications functions through the communications system 30 involving the users 40 and 50. The communications system 30 may, for example, be an intra-office PBX, the public switched telephone network (PSTN), a network-based or Internet telephony system, a computer application, a computer network, or other type of information system.

One or more events are defined for the virtual reality environment 220. These events are generated by interactions between the virtual entities 222 and 224. For example, the user 40 may direct his or her corresponding virtual entity 222 to somehow interact (e.g., touch, enter, contact, select) the virtual entity 224 associated with the user 50. This action generates a defined virtual event detected by the virtual environment interface 240. In response to the event, the virtual environment interface 240 initiates a desired communications function that is defined for or associated with the event. For example, the virtual reality system 20 might be configured with telephone numbers corresponding to telephones of users 40 and 50 such that a telecommunications call is initiated between them in response to the virtual event.

30

5

10

The virtual reality system 20 may include one or more computer systems. For example, the virtual environment server 210 may be deployed as one computer system and the virtual environment interface 240 as another computer system. The virtual environment interface 240 may itself be separate from, for example, a network server (not shown), or may be included as part of the network server. The software for hosting the virtual reality environment, configuring and responding to events within the virtual reality environment, and interfacing with other systems to initiate a desired communications function, may be included in a single computer system, spread across multiple computer systems, or any combination thereof.

Figure 2A provides details for one embodiment of the present invention. The user 40 is associated with a PC 40A and a communications device 40B, while the user 50 is associated with a PC 50A and a communications device 50B. Users 40 and 50 use PCs 40A and 40B, respectively, to interact with the virtual reality environment 220. two users (40 and 50) are illustrated, the virtual reality system 20 supports interaction with any number of users. As shown, the virtual environment interface 240 supports such interaction. Other configurations of the virtual reality system 20 may involve the PCs 40A and 50A interfacing directly with the virtual environment server 210 to enter and interact with the virtual reality environment 220. In such cases, the PCs 40A and 50A may communicate directly with virtual environment server 210 and the virtual environment interface 240.

The user 40 may use PC 40A to cause the virtual entity 222 to interact with the virtual entity 224. This interaction triggers an event that has been defined in the virtual reality environment 220. The virtual

25

5

10

environment interface 240 receives notification of the event and, optionally, additional event information. Based on its configuration, the virtual environment interface 240 identifies a desired communications function associated with the event and initiates this desired function in the communications system 30. The desired communications function might be, for example, a communications session between the users 40 and 50 using their corresponding communications devices 40B and 50B, respectively.

Figure 2A also highlights some of the substantial flexibility associated with the present invention. example, the communications network 30 might be a computer network and the communications devices 40B and 50B might be computer telephony devices. In this case, the PCs 40A and 50A may be used to communicate with the virtual reality system 20, as well as the communications devices 40B and 50B. Additional communications devices (not shown) may be associated with one or both users 40 Thus, the virtual reality system 20 may be configured with information about contacting the users 40 and 50 in a variety of ways, such as phone numbers, email addresses, and information regarding preferred methods of contact for different times of the day. Preferably, such information can be dynamically updated by the users 40 and 50 (and other users-not shown-of the virtual reality system 20), or by the virtual reality system 20 to reflect changing preferences for contacting users 40 and 50.

Figure 2B illustrates a simplified, logical sequence 30 of events for practicing one embodiment of the present invention. In Figure 2B, the virtual reality system 20 provides a virtual environment interface 240 for each of the users 40 and 50. In such implementations, PCs 40A

30

5

10

and 50A corresponding to the users 40 and 50, respectively, may run the virtual environment interfaces 240A and 240B, respectively, allowing the users 40 and 50 to operate within the virtual reality environment 220, as well as processing virtual events. The communications devices 40B and 50B can be, for example, Universal Serial Bus (USB) phones, Telephony Applications Programming Interface (TAPI) compliant phones, or any number of other types of communication devices suitable for PC interfacing. Assume that the virtual entity 224 is configured as a virtual office for the user 50. Further, assume that the virtual entity 222 is configured as an avatar representing the user 40.

Operating under control of the user 40, the virtual entity 222 "enters" the virtual entity 224. interaction generates an "enter" event (STEP 1). event notification sent to the virtual environment 240A of the user 40 includes event information identifying the type of event and the virtual entities involved. scenario where the PC40A of the user 40 is hosting the virtual environment interface 240A, the PC 40A invites the associated communications device 40B to initiate a communications session (STEP 2). If the communications device 40B is operative and available, it affirms the communications session initiation (STEP 3). Then, the PC 50A of the user 50 receives the invitation information, which it passes to the communications device 50B (STEP This assumes that the PC 50A of user 50 is hosting the virtual environment interface 240B. If the communications device 50B is operative and available, it affirms the invitation and this is acknowledged for the user 40 (STEPS 5, 6, and 7). Affirmation of the

acknowledgement is sent back to the PC 40A (STEP 8),

where it is acknowledged (STEP 9) and a communications

30

5

10

path between the communications devices 40B and 50B is established (STEP 10). While many methods exist for supporting the above telephone session initiation actions, the Session Interface protocol (SIP) represents a standardized protocol supporting such implementations.

Figure 3 illustrates the flexibility of the present invention. Three virtual entities 222, 224, and 226 within the virtual reality environment 220 represent the user 40. Thus, there is a one-to-one correspondence between virtual entities 222, 224, and 226 and the various communications systems 30, 32, and 34 available for contacting the user 40. Each virtual entity 222, 224, and 226 may be associated with a different communications system 30, 32, and 34, respectively. The different communications systems 30, 32, and 34 can be essentially any type of communications system, such as analog or digital telephone networks, cellular networks, computer or other information networks, etc. The system interfaces 42 collectively represent the communications devices or systems used by the user 40 to interact with the communications systems 30, 32, and 34. As such, the particular communications function initiated by the virtual environment interface 240 depends upon which of the virtual entities 222, 224, and 226 are involved in the virtual event.

Figure 4 illustrates a many-to-one mapping wherein multiple virtual entities 222, 224, and 226 are all associated with the same communications system 30 for contacting the user 40. In this context, virtual interaction with any of the virtual entities 222, 224, and 226 may be configured to initiate a communications function in the communications system 30 via the virtual environment interface 240. The utility of this arrangement can be better understood by imagining a

30

5

10

virtual reality environment 220 where the user 40 has multiple representations within the virtual reality environment 220. For example, the virtual entity 222 might be an avatar representation of the user 40, while the virtual entities 224 and 226 might represent a virtual office and a virtual telephone, respectively, both associated with the user 40.

Figure 5 illustrates how user information and certain conditions, such as time of day, may be used to extend the utility of the present invention. Again, virtual entities 222 and 224 correspond to the users 40 and 50, respectively. The users 40 and 50 can interact with the virtual reality system 20 to configure the communication function(s) they desire to be initiated by interactions with their corresponding virtual entities. For example, the particular communications function initiated by the virtual reality system 20 upon detection of a virtual event involving the virtual entity 224 may be based on configuration information, a user profile for example, provided by the user 50.

Figure 5 further illustrates the ability of the virtual reality system 20 to initiate different communications functions or modify the information used to initiate a given communications function, based on monitoring certain conditions. Intuitively, one imagines that a preferred method of contacting a given individual might change at different times during the day. During normal working hours, a desk telephone may be preferred, but during lunch or after hours, a mobile telephone may be preferred. At still other times, emailing or paging might represent the best or perhaps only way of contacting the given person.

In these and other scenarios, the virtual reality system 20 may be configured to consider one or more

5

10

criteria for evaluating one or more conditions to determine which communications function is preferred at any given time. While conditions are illustrated as being externally provided to the virtual environment interface 240, the virtual reality system 20 may determine one or more of the conditions used to select preferred communications functions for a given virtual event at a given time. System time and date represents the type of conditional data that is easily maintained by the virtual reality system 20, while monitored locations of workers within an office complex might represent the type of conditional information provided by external sensing or monitoring systems.

Figure 6 illustrates a configuration alluded to earlier, wherein a communications system 30, such as a video conferencing system, is represented as a virtual entity 222 within the virtual reality environment 220. In this way, the virtual reality environment 220 may be constructed to provide an intuitive way for users 40, 50, and 60, to join in a conference supported by the communications system 30. One technique is to configure the virtual entity 222 as a virtual conference room within the virtual reality environment 220. Configuration information would then be defined and stored so that the virtual reality system 20 is capable of initiating a connection between the users 40, 50, and 60, and the communications system 30 when the individual

Thus, Figure 6 is just one example of the

flexibility of the present invention in representing
users, communication systems, communication devices,
computers, and various other real world entities as
virtual entities (222, etc.) within the virtual reality
environment 220. The particular communications function

users interact with the virtual entity 222.

30

5

10

initiated by the virtual reality system 20 may then depend upon what specific kind of real world entity is represented by a given virtual entity.

Figure 7 illustrates operating logic for one aspect of operation of the virtual reality system 20 in some embodiments of the present invention. Operation begins (block 710) with the virtual reality system 20 registering one or more real world entities (people, systems, software, etc.) so that desired associations may later be made between the corresponding virtual entities and the real world entities (block 720). Once the real world entities are registered, including the establishment of any user profiles and conditional criteria, the virtual reality system 20 monitors for virtual events (block 730). In the absence of any virtual events, the virtual reality system 20 continues monitoring (block 730). Upon occurrence of one or more defined events (block 740), the virtual reality system, if necessary, determines the event type or identifies the specific event(s), and processes any supporting event information (block 750).

Note that in some embodiments, the virtual reality system 20 may have only one type of event. In this case, the event notification sent from the virtual environment server 210 to the virtual environment interface 240 identifies the virtual entities involved in the event. Other embodiments may have many types of events. Some embodiments may define the following events:

Touch(entity1, entity 2), PickUp(entity1, entity2),
Drop(entity1, entity2), Enter(entity1, entity2),
Leave(entity1, entity2), Share(entity1, entity2), and
Push(entity1, entity2). Supporting data, much like functional arguments included with function calls in conventional programming languages, identifies the

25

30

5

10

particular entities involved in a given virtual event and information bearing on the type of event. This allows the virtual reality system 20 to undertake one or more specific communications functions based on the type of event and the particular virtual entities involved in the event. Of course, the present invention is not limited to the above event definitions or the above format for indicating which virtual entities are involved in a particular event.

Once the event or events and the involved virtual entities are identified, the virtual reality system 20 determines which particular communications function(s) to initiate (block 760) based on either current condition criteria (block 762), on configuration data or user profiles (block 764), or any combination thereof. If current conditions or configuration data indicate the need to change or modify the desired communications function (block 770), the virtual reality system 20 updates or modifies the desired communications function(s) (block 780) and then initiates the updated or modified communications function (block 790). update or modification is required (block 770), the virtual reality system 20 simply initiates the configured communications function (block 790). If the virtual reality environment 220 is to remain active (block 800), the system returns to monitoring for virtual events (block 730), otherwise processing ends (820).

Figure 8 provides additional details regarding a portion of the operating logic introduced in Figure 7. Specifically, additional details appear for a method of implementing the process of registering entities (block 720 of Figure 7). Registering begins (block 830) by defining a virtual entity, if necessary, and associating the virtual entity with a real world entity (e.g.,

30

5

10

person, communication device or system) (block 840). or more events, possibly of different types, are defined for the selected virtual entity (block 850). If the virtual reality system 20 is to support changeable communications functions (block 860), the conditions and data bearing on the selection of a preferred communications function from one or more defined communications function are defined (block 870). conditional evaluations to be applied to this information are then defined to establish the criteria that will be used, at a particular time, to select a preferred communications function (block 880). Once this is done, or if there are no conditional evaluation criteria to be established (block 860), the association between virtual events and the desired communications function is established (block 890).

This process may be thought of as "mapping" a set of defined virtual events into a set of desired communications functions. As noted, this mapping may be one-to-many, as in situations where one virtual event is associated with the initiation of more than one communications function. Alternatively, the mapping may be many-to-one, wherein multiple virtual events are associated with a common communications function.

Further mapping subtlety arises from the ability to have the virtual reality system 20 dynamically change or update the mapping from virtual events to desired communications functions.

Once the event-to-function mapping is completed for given events and a given entity, the virtual reality system 20 may return (block 900) to defining and associating more events and entities (block 840). If there are no more entities to define and associate (block 900), processing ends (block 910).

5

10

The foregoing descriptions and supporting drawings illustrate exemplary embodiments for practicing the present invention. However, as will be readily appreciated by those skilled in the art, the present invention allows significant variation in both implementation and operation. For example, the conditional criteria, if used, to determine which of several possible communications functions are to be initiated upon occurrence of a given event may be readily changed or expanded. Further, the manner of interfacing the virtual reality system 20 to one or more communications systems 30 may be changed as needed. example, the virtual reality system 20 or parts thereof may be implemented as part of a computer network that hosts additional functionality, such as application and data support for a number of system users. In this circumstance, the computer network may include a hardware or software interface to the PSTN, a local PBX, the Internet, or any number of other communications systems. In such environments, then, the interface between the virtual reality system 20 and any supporting communications system 30 is intrinsic.

No limitations should be construed for the present invention in light of the foregoing discussion of its exemplary embodiments. Indeed, the present invention is limited only by the scope of the claims appended thereto, and the reasonable equivalents thereof.

30

CLAIMS

5

10

What is claimed is:

1. A method comprising:

monitoring for an occurrence of a virtual event generated by an interaction with a first virtual entity within a virtual reality environment; and

initiating a communications function that has been associated with the virtual event upon occurrence of the virtual event;

wherein the communications function provides for communications with a real world entity associated with the first virtual entity.

- 2. The method of claim 1 wherein the virtual event is generated by a second virtual entity interacting with the first virtual entity within the virtual reality environment, and initiating the communications function comprises initiating a communication between real world entities associated with the first and second virtual entities upon occurrence of the virtual event.
- 3. The method of claim 1 wherein the virtual event comprises an interaction between a second virtual entity and the first virtual entity within the virtual reality environment, and further wherein initiating the communications function comprises initiating a telephony session between real world entities associated with the first and second virtual entities.
- 4. The method of claim 3 wherein initiating the telephony session comprises initiating telecommunications between a first telecommunications device associated with

30

5

the first virtual entity and a second telecommunications device associated with the second virtual entity.

- 5. The method of claim 1 wherein the first virtual entity is associated with a first telecommunications device, and further wherein initiating the communications function comprises initiating a telecommunications call to the first telecommunications device.
- 10 6. The method of claim 1 wherein the virtual event is generated by an interaction between a second virtual entity and the first virtual entity within the virtual reality environment, and further wherein initiating the communications function comprises initiating an email message from a computer system associated with the second virtual entity to a computer system associated with the first virtual entity.
 - 7. The method of claim 1 wherein the virtual event is generated by an interaction between a second virtual entity and the first virtual entity within the virtual reality environment, and further wherein initiating the communications function comprises initiating an electronic file transfer between a computer system associated with the second virtual entity and a computer system associated with the first virtual entity.
 - 8. The method of claim 1 wherein the virtual event is generated by an interaction between a second virtual entity and the first virtual entity within the virtual reality environment, and further wherein initiating the communications function comprises pushing a representation of a graphical environment at a computer

30

5

10

system associated with the second virtual entity to a computer system associated with the first virtual entity.

9. The method of claim 1 further comprising:

defining a plurality of events that can be generated

by a plurality of different interactions between the

first and second virtual entities;

associating respective ones of the plurality of events with respective ones of a plurality of communication functions;

identifying a specific one of the plurality of events upon occurrence of one of the plurality of events;

selecting a corresponding one of the plurality of communication functions from among the plurality of communication functions based on the specific one of the plurality of events; and

initiating the corresponding one of the plurality of communication functions.

10. The method of claim 1 further comprising: defining at least one additional communications function associated with the virtual event;

defining a criteria for determining whether to initiate the communications function or the additional communications function;

evaluating the criteria upon occurrence of the event; and

initiating one of the communications function and the additional communications function based on the evaluation of the criteria.

11. The method of claim 10 wherein the criteria is a known location of a user associated with the first virtual entity.

30

5

- 12. The method of claim 10 wherein the virtual event is generated by an interaction between a second virtual entity and the first virtual entity within the virtual reality environment, and further wherein the criteria is a known location of a user associated with the second virtual entity.
- 13. The method of claim 10 wherein the criteria is10 a time of day.
 - 14. The method of claim 1 wherein the virtual event is generated by an interaction between a second virtual entity and the first virtual entity within the virtual reality environment, and further comprising:

initiating a telephony session between a first user associated with the first virtual entity and a second user associated with the second virtual entity using a first contact number for the first user during a first period of time; and

initiating a telephony session between the first user associated with the first virtual entity and the second user associated with the second virtual entity using a second contact number for the first user during a second period of time.

15. The method of claim 1 wherein initiating the communications functions comprises one in a group of actions consisting of initiating a telephony session, initiating a computer application, initiating an email transmission, initiating an electronic file transfer, initiating an electronic conference, initiating an electronic data sharing session, and initiating a virtual environment working session.

30

5

10

16. A method comprising:

representing a real world entity as at least one virtual entity within a virtual environment; and

associating at least one communications function relevant to the real world entity with a defined virtual event that can be generated by interacting with the at least one virtual entity.

17. The method of claim 16 further comprising:
monitoring for an occurrence of the defined virtual
event; and

initiating the at least one communications function upon occurrence of the defined virtual event.

- 18. The method of claim 16 wherein the defined virtual event is generated by an interaction between the at least one virtual entity and an additional virtual entity associated with another real world entity, and initiating the communications function comprises initiating a communication between the real world entity associated with the at least one virtual entity and the real world entity associated with the additional virtual entity upon occurrence of the defined virtual event.
- 19. The method of claim 16 wherein associating at least one communications function relevant to the real world entity with a defined virtual event that can be generated by interacting with the at least one virtual entity comprises:

associating a plurality of communications functions relevant to the real world entity with the defined virtual event; and

30

defining at least one criteria for selecting a preferred communications function from the plurality of communications functions.

20. The method of claim 19 further comprising:
evaluating the at least one criteria upon occurrence
of the defined virtual event to determine the preferred
communications function; and

initiating the preferred communications function.

10

5

- 21. The method of claim 20 wherein initiating the at least one communications functions comprises initiating at least one in a group of actions consisting of initiating a telephony session, initiating a computer application, initiating an email transmission, initiating an electronic file transfer, initiating an electronic conference, initiating an electronic data sharing session, and initiating a virtual environment working session.
- 22. The method of claim 16 further comprising:
 associating respective ones of a plurality of
 communications functions relevant to the real world
 entity with corresponding ones of a plurality of defined
 virtual events that can be generated by different
 interactions with the at least one virtual entity;

selecting a corresponding one of the plurality of communications functions upon occurrence of a given one of the plurality of defined virtual events; and

initiating the corresponding one of the plurality of communications functions.

23. The method of claim 16 wherein representing a real world entity as at least one virtual entity within a

30

virtual environment comprises representing the real world entity with a plurality of virtual entities, and further wherein associating at least one communications function relevant to the real world entity with a defined virtual event that can be generated by interacting with the at least one virtual entity comprises associating respective ones of a plurality of communications functions with respective ones of the plurality of virtual entities.

10 24. A method comprising:

associating a virtual entity in a virtual reality environment with a person;

linking a virtual event defined for the virtual entity with a desired communications function relevant to the person;

monitoring for an occurrence of the virtual event; and

initiating the desired communications function upon occurrence of the virtual event.

25. The method of claim 24 further comprising: linking the virtual event defined for the virtual entity with a plurality of communications functions;

defining at least one criteria for selecting a preferred one of the plurality of communications functions at a given time;

evaluating the at least one criteria upon occurrence of the virtual event to determine the preferred communications function; and

initiating the preferred communications function.

26. A computer readable media comprising software for instructing a computer to:

30

5

10

monitor for an event notification signifying an event occurring within a virtual reality environment;

associate the event notification with a desired communications function; and

initiate the desired communications function upon occurrence of the event notification,

wherein the communications function provides for communications with a real world entity associated with virtual entity represented in the virtual reality environment.

- 27. The computer readable media of claim 26 wherein the instructions to monitor for the event notification include monitoring for the occurrence of the event generated by an interaction between a first virtual entity and a second virtual entity, and the instructions to initiate the communications function include initiating a communication between real world entities associated with the first and second virtual entities upon occurrence of the event notification.
- 28. The computer readable media of claim 26 for further instructing the computer to:

process event data received as part of the event notification;

determine information bearing on execution of the desired communications function from the event data;

configure initiation information using the information bearing on the execution of the desired communications function; and

initiate the desired communications function using the initiating information.

5

29. The computer readable media of claim 26 for further instructing the computer to:

process the event notification to identify an occurrence of a certain event within the virtual reality environment;

select one from a plurality of desired communications function based on identifying the occurrence of the certain event; and

initiate the one desired communications function selected from the plurality of desired communications functions.

30. The computer readable media of claim 26 for further instructing the computer to:

process the event notification to identify a
specific event;

determine a specific desired communications function corresponding to the specific event; and

initiate the specific desired communications function.

31. The computer readable media of claim 26 for further instructing the computer to:

determine a status condition associated with the desired communications function upon receipt of the event notification; and

modify the desired communications function based on the status condition.

30 32. The computer readable media of claim 31 wherein said instruction to determine the status condition comprises determining a system time.

10

- 33. The computer readable media of claim 32 wherein said instruction to modify the desired communications function based on the status condition comprises initiating the desired communications function using different initiation information for different times.
- 34. The computer readable media of claim 32 wherein said instruction to modify the desired communications function based on the status condition comprises initiating the desired communications function on a different one of a number of associated communications systems at different times.
- 35. A computer readable media comprising software for instructing a computer system to:

interface with a virtual reality environment to receive event notifications generated by events within a virtual reality environment;

associate a particular one of the event notifications with a particular communications function; and

initiate the particular communications function upon receipt of the particular one of the event notifications.

36. The computer readable media of claim 35 for further instructing the computer system to:

associate the particular one of the event notifications with a plurality of communications functions;

determine a preferred one of the plurality of communications functions upon occurrence of the particular one of the event notifications based on evaluating at least one defined criteria; and

initiating the preferred one of the plurality of communications function.

- 37. The computer readable media of claim 36 for further instructing the computer system to receive information from a user identifying the plurality of communications functions.
- 38. The computer readable media of claim 36 for further instructing the computer system to receive information from a user bearing on the evaluation of the at least one criteria to determine the preferred one of the plurality of communications functions.
 - 39. The computer readable media of claim 35 for further instructing the computer system to:

receive configuration information from a user associated with the particular one of the event notifications; and

configure the particular communications function based on the configuration information.

- 40. The computer readable media of claim 35 for further instructing the computer system to select one of a plurality of communications functions as the particular communications function based on a configuration value upon occurrence of the particular one of the event notifications.
- 41. The computer readable media of claim 40 for further instructing the computer system to receive information determining the configuration value from a user associated with the particular one of the event notifications.

30

5

10

- 42. A virtual reality interface system comprising:
- a first communications interface adapted to receive an event notification from a virtual reality system;
- a processing system adapted to determine a desired communications function based on the event notification; and
- a second communications interface adapted to provide initiating information sufficient to initiate the desired communications function.
- 43. The system of claim 42 wherein the first communications interface comprises a network communications interface adapted to transfer information between a virtual reality system server and said virtual reality interface system.
- 44. The system of claim 42 wherein said second communications interface comprises a network communications interface adapted to transfer the information sufficient to initiate the desired communications function between said virtual reality interface system and at least one networked computer system associated with the desired communications function.
- 45. The system of claim 42 wherein said virtual reality interface system hosts virtual reality environment software, and further wherein said first interface comprises a software interface with the virtual reality environment software.
- 46. The system of claim 42 wherein the desired communications function is a computer telephony function,

5

10

15 15

and further wherein said second communications interface is adapted to communicate with a computer telephony system.

47. A system comprising:

means for monitoring for an occurrence of a virtual event generated by an interaction with a first virtual entity within a virtual reality environment; and

means for initiating a communications function that has been associated with the virtual event involving the first virtual entity upon occurrence of the virtual event,

wherein the communications function provides for communications with a real world entity associated with one of the first and second virtual entities.

48. The system of claim 47 said means for monitoring for the occurrence of the virtual event monitors for the occurrence of the virtual event generated by an interaction between a first virtual entity and a second virtual entity, and said means for initiating the communications function initiates a communication between real world entities associated with the first and second virtual entities upon occurrence of the virtual event.

25

5

10

ABSTRACT

A virtual reality system initiates desired real world actions in response to defined events occurring within a virtual environment. A variety of systems, such as communications devices, computer networks, and software applications, may be interfaced with the virtual reality system and made responsive to virtual events. For example, the virtual reality system may trigger a communications system to establish a communications link between people in response to a virtual event. Users, represented as avatars within the virtual environment, generate events by interacting with virtual entities, such as other avatars, virtual objects, and virtual locations. Virtual entities can be associated with specific users, and users can define desired behaviors for associated entities. Behaviors control the real world actions triggered by virtual events. Users can modify these behaviors, and the virtual reality system may change behaviors based on changing conditions, such as time of day or the whereabouts of a particular user.

° √





FIG. 1






FIG. 2B




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

		Attorney Docket N	Number 7000	0-026					
	FOR UTILITY OR SIGN	First Named Inver	mple, William						
PATENT A	PPLICATION	COMPLETE IF KNOWN							
(37 CF	FR 1.63)	Application Number	Application Number						
		Filing Date							
□ Declaration Submitted OR	Declaration Submitted after Initial	Group Art Unit							
with Initial Filing	Filing (surcharge (37 CFR 1.16 (e)) required)	Examiner Name							
As a below named inventor, I h	ereby declare that:								
	s, and citizenship are as stated below	w next to my name.							
names are listed below) of the su	nd sole inventor (if only one name is lubject matter which is claimed and foo DMMUNICATIONS THE	r which a patent is sought o	n the invention entitled						
the second secon	(Title of the Invent	tion)							
the specification of which									
is attached hereto OR									
was filed on (MM/DD/Y)	YYY)	as United States Applicat	tion Number or PCT Intern	ational					
Application Number	and was a	amended on (MM/DD/YYYY)	(ıf applicable)					
I hereby state that I have reviewe	ed and understand the contents of th	e above identified specifica	tion, including the claims, a	as					
amended by any amendment sp	ecifically referred to above se information which is material to pa	atentability as defined in 37	CFR 1.56						
Tabilitowicago allo daty to discool		,							
I hereby claim foreign priority benefits under 35 U S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed									
or of any PCT international appli									
or of any PCT international appli	Fo	oreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached YES NO					
or of any PCT international appli Prior Foreign Application	Fo								
or of any PCT international appli Prior Foreign Application	Fo								

Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto: I hereby claim the benefit under 35 U.S.C 119(e) of any United States provisional application(s) listed below.

Application Number(s) Filing Date (MM/DD/YYYY) Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Palent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

PTO/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Utility or Design Patent Application **DECLARATION**

I hereby claim the benefit u United States of America, I United States or PCT Inter information which is materi and the national or PCT int	isted below and, insofar national application in th al to patentability as def ernational filing date of t	as the subject matte e manner provided t ined in 37 CFR 1.56 this application.	er of ea ov the t	ach of the c first paragra	taims of the	ns application U.S.C. 112,	on is not on the lacknow illing date	disclosed in the labeling the disclosed in the disclosed in the disclosed in the labeling disclosed in the disclosed disclosed in the disclosed disclo	prior o disclose ication	
U.S. Parent	Application or Po	CT Parent		Parent Filing Date (MM/DD/YYYY)			P	Parent Patent Number (if applicable)		
	Number						,			
Additional U.S or PC	T international application	on numbers are listed	on a	supplemen	tal priority	data sheet	PTO/SB/	02B attached he	ereto	
As a named inventor, I here	eby appoint the following	g registered practitio	ner(s)	to prosecut	te this app	lication and	to transa	nct all business in	n the Patent	
and Trademark Office conr		33 AND 2		abor listed b	olow	Place Cu Number Label he	Bar Code			
		Registered practition Registration	ier(s) ii	amenegisi	I au OII II UI	ilbei ilsted b	GIOW		tration	
Name		Number			Nam	е	-	Nur	nber	
Additional registered	practitioner(s) named or	supplemental Region	stered	Practitione	r Informat	ion sheet P	TO/SB/02	C attached here	to.	
Direct all corresponden	ce to: 🛛 Custome		310100						address below	
Name				2	2463	1				
Address Address				_	T TRADEMA	_				
City										
Country		Telephone				Fax				
I hereby declare that all state believed to be true; and fur punishable by fine or impriapplication or any patent is	ther that these stateme sonment, or both, under	nts were made with t	the kno	owledge tha	at willful fa	ilse stateme	nts and th	he like so made	are	
Name of Sole or Fi	st Inventor:				A petit	ion has be	en filed	for this unsign	ned inventor	
Given Na	me (first and middle	[if any])				Family	Name o	r Surname		
	William C.			Dalrymple						
Inventor's Signature	() Olini (· Dale ed	V.			Date	9/2,	1/2000		
Residence: City	Cary	State	N	VC (Country	USA		Citizenship	USA	
Post Office Address	104 Miss Georgi	a Court								
Post Office Address										
City	Cary	State	N	VC Z	ZIP 2	7511 C	ountry	USA		
Additional invento	rs are being named	on the 1 supplem	ental .	Additiona	l Invento	r(s) sheet	s) PTO	/SB/02A attac	hed hereto.	

Please type a plus sign (+) inside this box	+
Please type a plus sign (+) inside this box	

then see after their street are street.

Hand Hand

PTO/SB/02A (3-97)

Approved for use through 9/30/98. OMB 0651-0032
Patent and Trademark Office; U.S DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page $\underline{1}$ of $\underline{1}$

Name of Additional	Joint Inventor, if any:		A petition has been filed for this unsigned inventor							
Given Nar	me (first and middle [if any])		Family Name or Surname							
	Steve		McKinnon							
Inventor's Signature	Ju-Chi					Date 7		<u> </u>		
Residence: City	Cary	State	NC	Countr	У	USA		Citizenship	USA	
Post Office Address	115 Monarch Way									
Post Office Address										
City	Cary	State	NC	ZIP	275	11	Country	USA		
Name of Additional	Joint Inventor, if any:			petition				nis unsigned in	ventor	
Given Na	me (first and middle [if any])					Famil	y Name c	or Surname		
Inventor's Signature						Date				
Residence: City		State		Country				Citizenship		
Post Office Address										
Post Office Address										
City		State		ZIP			Country			
Name of Additional	Joint Inventor, if any:			A petition	n has l	been t	filed for th	nis unsigned in	ventor	
Given Na	me (first and middle [if any])		Family Name or Surname							
Inventor's Signature						Date				
Residence: City		State		Count	ry			Citizenship		
Post Office Address		•								
Post Office Address										
City		State		ZIP			Country			

Burden Hour Statement. This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.